Pain, 56 (1994) 369–371
© 1994 Elsevier Science B.V. All rights reserved 0304-3959/94/$07.00

Contents to Volume 56 (1994)

Number 1 – January 1994

Editorial Comment 1

RESEARCH REPORTS

Neonatal guanethidine sympathectomy suppresses autotomy and prevents changes in spinal and supraspinal monoamine levels induced by peripheral deafferentation in rats
M.I. Colado, J. Del Rio and E. Peralta (Spain) 3
Characterization of a neuropathic pain model: sciatic cryoneurolysis in the rat
J.A. DeLeo, D.W. Coombs, S. Willenbring, R.W. Colburn, C. Fromm, R. Wagner and B.B. Twitchell (USA) 9
Morphine insensitive allodynia is produced by intrathecal strychnine in the lightly anesthetized rat
S.E. Sherman and C.W. Loomis (Canada) 17
Sympathetic activation of cat spinal neurons responsive to noxious stimulation of deep tissues in the low back
R.G. Gillette, R.C. Kramis and W.J. Roberts (USA) 31
Effect of short-term hyperglycemia per se on nociceptive and non-nociceptive thresholds
P. Thye-Rønn, S.H. Sindrup, L. Arendt-Nielsen, J. Brennum, O. Hother-Nielsen and H. Beck-Nielsen (Denmark) 43
Response of chronic neuropathic pain syndromes to ketamine: a preliminary study
M. Backonja, G. Arndt, K.A. Gombar, B. Check and M. Zimmermann (USA) 51
The NMDA antagonist 3-(2-carboxypiperazin-4-yl)propyl-1-phosphonic acid (CPP) has antinociceptive effect after intrathecal injection in the rat
J.D. Kristensen, R. Karlsten, T. Gordh and O.-G. Berge (Sweden) 59
The NMDA receptor antagonists, LY274614 and MK-801, and the nitric oxide synthase inhibitor, NG-nitro-L-arginine, attenuate analgesic tolerance to the mu-opioid morphine but not to kappa opioids
K. Elliott, N. Minami, Y.A. Kolesnikov, G.W. Pasternak and C.E. Inturrisi (USA) 69
Effects of extracorporeal shock-wave lithotripsy on referred hyperalgesia from renal/ureteral calculosis
M.A. Giamberardino, P. De Bigontina, C. Martegiani and L. Vecchiet (Italy) 77
The efficacy of oral splints in the treatment of myofascial pain of the jaw muscles: a controlled clinical trial
T.T.T. Dao, G.J. Lavigne, A. Charbonneau, J.S. Feine and J.P. Lund (Canada) 85
The cutaneous withdrawal reflex in human neonates: sensitization, receptive fields, and the effects of contralateral stimulation
K. Andrews and M. Fitzgerald (UK) 95
Effects of Kelatorphan and morphine before and after noxious stimulation on immediate-early gene expression in rat spinal cord neurons
T.R. Tölle, J. Schadrack, J.M. Castro-Lopes, G. Evan, B.P. Roques and W. Zieglgänsberger (Germany, Portugal, UK, France) 103

Clinical Note

The dilemma of conversion from systemic to epidural morphine: a proposed conversion tool for treatment of cancer pain
S.L. Du Pen and A.R. Williams (USA) 113

LETTERS TO THE EDITOR

Comments on Maves et al., PAIN, 54 (1993) 57–69.
R. Kupers, D. Nuytten and J. Gybels (Belgium) 119
Does a change in the milieu around the rat's sciatic nerve lead to behavioral evidence of neuropathic pain?
T.J. Maves, G.F. Gebhart and S.T. Meller (USA) 120
Selection of patients undergoing neurolytic superior hypogastric plexus block
G. Orlandini (Italy) 121
Reply to G. Orlandini
O.A. De Leon-Casasola and M.J. Lema (USA) 122
TENS vs. placebo
D.L. Bourke (USA) 122
Reply to D.L. Bourke
S. Marchand (Canada) 123

Announcement from the Publisher 125

Number 2 – February 1994

Clinical Review
Trigeminal neuralgia: the role of self-sustaining discharge in the trigeminal ganglion
Z.H. Rappaport and M. Devor (Israel) 127

RESEARCH REPORTS

Altered reactivity of isolated segmental lumbar arteries of dogs following exposure to ethanol and phenol
D.L. Brown and D.K. Rorie (USA) 139
Concentrations of morphine, morphine-6-glucuronide and morphine-3-glucuronide in serum and cerebrospinal fluid following morphine administration to patients with morphine-resistant pain
C.R. Goucke, L.P. Hackett and K.F. Ilett (Australia) 145
Low-dose intra-articular morphine analgesia in day case knee arthroscopy: a randomized double-blinded prospective study
J. Dalsgaard, S. Felsby, P. Juelsgaard and J. Froekjaer (Denmark) 151
Behavioral manifestations of an experimental model for peripheral neuropathy produced by spinal nerve ligation in the primate
S.M. Carlton, H.A. Lekan, S.H. Kim and J.M. Chung (USA) 155
A cerebral blood flow study on tonic pain activation in man
V. Di Piero, S. Ferracuti, U. Sabatini, P. Pantano, G. Cruccu and G.L. Lenzi (Italy) 167
The cold pressor test in children: methodological aspects and the analgesic effect of intraoral sucrose
A. Miller, R.G. Barr and S.N. Young (Canada) 175
Electrophysiological studies on the spinal roles of endogenous opioids in carrageenan inflammation
L.C. Stanfa and A.H. Dickenson (UK) 185
Carrageenan-induced inflammation of the hind foot provokes a rise of GABA-immunoreactive cells in the rat spinal cord that is prevented by peripheral neurectomy or neonatal capsaicin treatment
J.M. Castro-Lopes, I. Tavares, T.R. Tölle and A. Coimbra (Portugal, Germany) 193
Antinociception following implantation of mouse B16 melanoma cells in mouse and rat spinal cord
H.H. Wu, B.R. Lester, Z. Sun and G.L. Wilcox (USA) 203
Spinal cord stimulation in Belgium: a nation-wide survey on the incidence, indications and therapeutic efficacy by the health insurer
R.C. Kupers, R. Van den Oever, B. Van Houdenhove, W. Vanmechelen, B. Hepp, B. Nuttin and J.M. Gybels (Belgium) 211
A comparison of pain measurement characteristics of mechanical visual analogue and simple numerical rating scales
D.D. Price, F.M. Bush, S. Long and S.W. Harkins (USA) 217
Acute and conditioned hyperalgesic responses to illness
E.P. Wiertelak, K.P. Smith, L. Furness, K. Mooney-Heiberger, T. Mayr, S.F. Maier and L.R. Watkins (USA) 227
Slowly developing placebo responses confound tests of intravenous phentolamine to determine mechanisms underlying idiopathic chronic low back pain
P.G. Fine, W.J. Roberts, R.G. Gillette and T.R. Child (USA) 235

Clinical Note
Staphylococcal meningitis following Synchromed intrathecal pump implant: a case report
M.I. Bennett, Y.M.A. Tai and J.M. Symonds (UK) 243

Announcement from the Publisher 245

Number 3 – March 1994

Clinical Review
Mammography pain and discomfort: a cognitive-behavioral perspective
F.J. Keefe, E.R. Hauck, J. Egert, B. Rimer and P. Kornguth (USA) 247

RESEARCH REPORTS

The effect of *trans*-ACPD, a metabotropic excitatory amino acid receptor agonist, on the responses of primate spinothalamic tract neurons
J. Paleček, V. Palečková, P.M. Dougherty and W.D. Willis (USA) 261
Chronic pain-related behaviors in spinally injured rats: evidence for functional alterations of the endogenous cholecystokinin and opioid systems
X.-J. Xu, J.-X. Hao, Å. Seiger, J. Hughes, T. Hökfelt and Z. Wiesenfeld-Hallin (Sweden, UK) 271
Opiate reduction in chronic pain patients: a comparison of patient-controlled reduction and staff controlled cocktail methods
J.A. Ralphs, A.C. De C Williams, P.H. Richardson, C.E. Pither and M.K. Nicholas (UK) 279
Prospective study on the relationship between depressive symptoms and chronic musculoskeletal pain
G. Magni, C. Moreschi, S. Rigatti-Luchini and H. Merskey (Switzerland, Italy, Canada) 289
Application of the American Pain Society quality assurance standards
S.E. Ward and D. Gordon (USA) 299

The influence of anxiety on pain: attentional and attributional mediators
A. Arntz, L. Dreessen and P. De Jong (The Netherlands) 307
Quantitative sensory examination of epidural anaesthesia and analgesia in man; dose–response effect of bupivacaine
J. Brennum, P.T. Nielsen, A. Horn, L. Arendt-Nielsen and N.H. Secher (Denmark) 315
Quantitative sensory examination of epidural anaesthesia and analgesia in man: combination of morphine and bupivacaine
J. Brennum, K.L. Petersen, A. Horn, L. Arendt-Nielsen, N.H. Secher and T.S. Jensen (Denmark) 327
Examination of tonic nociceptive behavior using a method of substance P-receptor desensitization in the dorsal horn
L.N. Holland and B.D. Goldstein (USA) 339
Diffuse noxious inhibitory controls reduce the expression of noxious stimulus-evoked Fos-like immunoreactivity in the superficial and deep laminae of the rat spinal cord
M.M. Morgan, K.R. Gogas and A.I. Basbaum (USA) 347
Early pain experience, child and family factors, as precursors of somatization: a prospective study of extremely premature and fullterm children
R.V.E. Grunau, M.F. Whitfield, J.H. Petrie and E.L. Fryer (Canada) 353

LETTERS TO THE EDITOR

Comments on Toomey et al., *PAIN*, 53 (1993) 105–109
S. Strauss (Australia) 361
Reply to S. Strauss
T.C. Toomey (USA) 361

Announcement from the Publisher 363

Author Index to Volume 56 (1994) 365

Contents to Volume 56 (1994) 368

Erratum: Due to a technical error, the following ***Clinical Note*** was omitted from the Table of Contents of Vol. 55, issue 3.

Differing reports of pain perception by different personalities in a patient with chronic pain and multiple personality disorder
I.J. McFadden and V.F. Woitalla (USA) 379